

acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:

SECTION 1: Identification

1.1 Product identifier

Trade name

NanoGold P300 Paraffinic Base Oil

Date of compilation: 2023-05-17

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

For use as base oil. Do not mist

1.3 Details of the supplier of the safety data sheet

Lubrication Specialties, LLC 3975 Morrow Meadows Drive Mt. Gilead Ohio 43338 United States Telephone: +1 800-341-6516 Email: lab@lubricationspecialties.com Website: https://www.lubricationspecialties.com/

1.4 Emergency telephone number INFOTRrac: 1-800-535-5053

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning
- Pictograms

GHS07

H317



- Hazard statements

May cause an allergic skin reaction.

- Precautionary statements

P261 P272 P280	Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling

Trade Secret

2.3 Other hazards

of no significance





acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:

Date of compilation: 2023-05-17

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Trade Secret	CAS No Trade Secret	<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet



acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:

Date of compilation: 2023-05-17

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.



acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:

Date of compilation: 2023-05-17

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	yellow
Particle	not relevant (liquid)
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	>250 °C at 1 atm
Flash point	232 °C at 1 atm
Evaporation rate	not determined



Version Number 1.0:

Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Date of compilation: 2023-05-17

Flammability (solid, gas)	not relevant, (fluid)	
Vapor pressure	not determined	
Density	7.2 ^{lb} / _{gal} at 20 °C	
Vapor density	this information is not available	
Solubility(ies)	not determined	
Partition coefficient		
- n-octanol/water (log KOW)	this information is not available	
Auto-ignition temperature	310 °C	
Viscosity	not determined	
Explosive properties	none	
Oxidizing properties	none	

9.2 Other information

Solvent content	4.025 %
Solid content	0 %
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equip- ment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.





acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:

Date of compilation: 2023-05-17

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans					
Name of substance Classification Number					
Trade Secret	3				

Legend

3

Not classifiable as to carcinogenicity in humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:

Date of compilation: 2023-05-17

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECT	SECTION 14: Transport information			
14.1	UN number			
	DOT	UN 3082		
	IMDG-Code	UN 3082		
	ICAO-TI	UN 3082		
14.2	UN proper shipping name			
	DOT	Environmentally hazardous substance, liquid, n.o.s.		
	IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.		
	ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.		
14.3	Transport hazard class(es)			



acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:		Date of compilation: 2023-05-17				
	DOT	9				
	IMDG-Code	9				
	ICAO-TI	9				
14.4	Packing group					
	DOT	III				
	IMDG-Code	III				
	ICAO-TI	III				
14.5	Environmental hazards	hazardous to the aquatic environment				
14.6	Special precautions for user There is no additional information.					
14.7	Transport in bulk according to Annex I The cargo is not intended to be carried in bulk.	I of MARPOL and the IBC Code				
	Information for each of the UN Model I	Regulations				
	Transport of dangerous goods by road	or rail (49 CFR US DOT) - Additional information				
	Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III				
	Danger label(s)	9, fish and tree				
	Environmental hazards	Yes (hazardous to the aquatic environment)				
	Special provisions (SP)	8, 146, 173, 335, IB3, T4, TP1, TP29				
	ERG No	171				
	International Maritime Dangerous Goods Code (IMDG) - Additional information					
	Marine pollutant	Yes (hazardous to the aquatic environment) (Trade Secret)				
	Danger label(s)	9, fish and tree				
	Special provisions (SP)	274, 335, 969				
	Excepted quantities (EQ)	E1				
	Limited quantities (LQ)	5 L				
	EmS	F-A, S-F				
	Stowage category	A				
	International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information					
	Environmental hazards	Yes (hazardous to the aquatic environment)				
	Danger label(s)	9, fish and tree				
	Special provisions (SP)	A97, A158, A197, A215				



acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

/ersior	n Number 1.0:		Date of compilation: 2023-05-17		
	Excepted quantities (EQ)	E1			
	Limited quantities (LQ)	30 kg			
SECT	TON 15: Regulatory information				
15.1	Safety, health and environmental r	egulations specific for the pro	duct in question		
	National regulations (United States)				
	Superfund Amendment and Reauthorization Act (SARA TITLE III)				
	- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities(EPCRA Section 302, 304)				
	none of the ingredients are listed				
	- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed				
	Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)				
	- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed				
	Clean Air Act				
	none of the ingredients are listed				
	Right to Know Hazardous Substance List				
	- Cleaning Product Right to Know Act	Substance List (CA-RTK)			

Name of substance	Functionality	Authoritative Lists
Trade Secret		EU Fragrance Allergens

- Hazardous Substances List (MN-ERTK) none of the ingredients are listed

- Hazardous Substance List (NJ-RTK)

Name of substance	Remarks	Classifications
Trade Secret		F2

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (RI-RTK)

none of the ingredients are listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.



acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Date of compilation: 2023-05-17

Version Number 1.0:

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with wa- ter, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	_	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or re- sidual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	not all ingredients are listed
Legend		

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions



acc. to 29 CFR 1910.1200 App D

NanoGold P300 Paraffinic Base Oil

Version Number 1.0:

Date of compilation: 2023-05-17

Abbr.	Descriptions of used abbreviations
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edi- tion
OSHA	Occupational Safety and Health Administration (United States)
РВТ	Persistent, Bioaccumulative and Toxic
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical Properties. The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.